

EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
S136	379	(dispens\$4 cartridge). ti. and stack and (groove cut adj out cutout cut-out slot) with load\$4	US-PGPUB; USPAT	OR	ON	2008/10/08 16:33
S137	77	(dispens\$4 cartridge). ti. and stack and (groove cut adj out cutout cut-out slot) with (finger load\$4) with adjacent	US-PGPUB; USPAT	OR	ON	2008/10/08 16:33
S138	0	(dispens\$4 cartridge hopper).ti. and stack and (groove cut adj out cutout cut-out slot) with (finger load \$4) with adjacent not S137	US-PGPUB; USPAT	OR	ON	2008/10/08 16:35
S139	0	(dispens\$4 cartridge hopper).ti. and stack and (groove cut adj out cutout cut-out slot) with (finger load \$4) with (every adjacent) adj wall	US-PGPUB; USPAT	OR	ON	2008/10/08 16:36
S140	141	(dispens\$4 cartridge hopper).ti. and stack and wall with post	US-PGPUB; USPAT	OR	ON	2008/10/08 16:37
S141	17	(dispens\$4 cartridge hopper).ti. and stack same wall with post	US-PGPUB; USPAT	OR	ON	2008/10/08 16:37
S142	719	(dispens\$4 cartridge hopper) same stack and (hold\$4 grip\$4) with (article biosensor)	US-PGPUB; USPAT	OR	ON	2008/10/08 16:39
S143	510	(dispens\$4 cartridge hopper) same stack and (hold\$4 grip\$4) with (article biosensor) and (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/10/08 16:39

S144	221	(dispens\$4 cartridge hopper) same stack and (hold\$4 grip\$4) with (article biosensor) and (groove cut adj out cutout cut-out slot) same stack	US-PGPUB; USPAT	OR	ON	2008/10/08 16:39
S145	79	(dispens\$4 cartridge hopper) same stack and (hold\$4 grip\$4) with (article biosensor) same (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/10/09 10:32
S146	126	(dispens\$4 cartridge hopper) same stack and (insert\$4 load \$4) with (article biosensor) same (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/10/09 10:33
S147	47	(dispens\$4 cartridge hopper) same stack and (insert\$4 load \$4) near2 (article biosensor) same (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/10/09 10:34
S148	87	(dispens\$4 cartridge hopper) same stack and (hold\$4 grip\$4) near2 (edge) same (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/10/09 10:35
S149	39	(dispens\$4 cartridge hopper) same stack and (hold\$4 grip\$4) near2 (edge) with (touch\$4 fingerprint contact\$3) and (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/10/09 10:37

S150	6	(dispens\$4 cartridge hopper) same stack and (insert\$4 load \$4) with (hold\$4 grip \$4) near2 (edge) with (touch\$4 fingerprint contact \$3) and (groove cut adj out cutout cut- out slot)	US-PGPUB; USPAT	OR	ON	2008/10/09 10:41
S151	5	(dispens\$4 cartridge hopper) same stack and (insert\$4 load \$4) with (hold\$4 grip \$4) near2 (edge) with (fingerprint contact\$3) and (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/10/09 10:42
S152	0	(dispens\$4 cartridge hopper) same stack and (insert\$4 load \$4) with (hold\$4 grip \$4) near2 (edge) with (fingerprint) and (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/10/09 10:42
S153	284	(strip biosensor chip) same (hold\$4 grip \$4) near2 (edge) with (touch\$4 contact \$4 fingerprint)	US-PGPUB; USPAT	OR	ON	2008/10/09 10:42
S154	44	(test adj strip biosensor chip) same (hold\$4 grip\$4) near2 (edge) with (touch\$4 contact\$4 fingerprint)	US-PGPUB; USPAT	OR	ON	2008/10/09 10:43
S155	0	(test adj strip biosensor chip) same (hold\$4 grip\$4) near2 (edge) with (touch\$4 contact\$4 fingerprint) and (dispens\$4 cartridge hopper) same stack	US-PGPUB; USPAT	OR	ON	2008/10/09 10:43

S156	9	(test adj strip biosensor) same (hold\$4 grip\$4) near2 (edge) with (touch\$4 contact\$4 fingerprint)	US-PGPUB; USPAT	OR	ON	2008/10/09 11:03
S157	35	(chip) same (hold\$4 grip\$4) near2 (edge) with (touch\$4 contact\$4 fingerprint)	US-PGPUB; USPAT	OR	ON	2008/10/09 11:04
S158	34	(dispens\$4 cartridge hopper) same stack and (insert\$4 load \$4) with (contact\$4 touch\$4) near2 face and (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/10/09 11:09
S159	43	(dispens\$4 cartridge hopper magazine) same stack and (insert\$4 load\$4) with (contact\$4 touch\$4) near2 face and (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/10/09 11:10
S160	1360	(dispens\$4 cartridge hopper magazine).ti. and stack and (groove cut adj out cutout cut-out slot) with (insert\$4 load \$4)	US-PGPUB; USPAT	OR	ON	2008/10/09 11:15
S161	106	(dispens\$4 cartridge hopper magazine).ti. and stack and (cut adj out cutout cut-out) with (insert\$4 load\$4)	US-PGPUB; USPAT	OR	ON	2008/10/09 11:15
S162	1	(dispens\$4 cartridge hopper magazine).ti. and stack and (cut adj out cutout cut-out) near2 three with (insert\$4 load \$4)	US-PGPUB; USPAT	OR	ON	2008/10/09 11:17
S163	1	("7426848").PN.	US-PGPUB; USPAT	OR	OFF	2008/10/09 11:29

S164	2	(dispens\$4 cartridge hopper magazine).ti. and stack and (cut adj out cutout cut-out) near2 three adj (side wall)	US-PGPUB; USPAT	OR	ON	2008/10/09 12:24
S165	6038	(dispens\$4 cartridge magazine).ti. and wall with (cutout cut adj out cut-out groove)	US-PGPUB; USPAT	OR	ON	2008/10/29 11:18
S166	710	(dispens\$4 cartridge magazine).ti. and wall with (cutout cut adj out cut-out groove) and stack	US-PGPUB; USPAT	OR	ON	2008/10/29 11:18
S167	3	(dispens\$4 cartridge magazine).ti. and wall with (cutout cut adj out cut-out groove) and stack and (cutout cut adj out cut-out groove) with finger with guid \$4	US-PGPUB; USPAT	OR	ON	2008/10/29 11:19
S168	8	(dispens\$4 cartridge magazine).ti. and wall with (cutout cut adj out cut-out groove) and stack and (cutout cut adj out cut-out groove) with (arm finger) with guid\$4	US-PGPUB; USPAT	OR	ON	2008/10/29 11:19
S169	15	(dispens\$4 cartridge magazine).ti. and wall with (cutout cut adj out cut-out groove) and stack and (cutout cut adj out cut-out groove) with (arm finger hand) with guid\$4	US-PGPUB; USPAT	OR	ON	2008/10/29 11:19
S170	229	(dispens\$4 cartridge magazine).ti. and wall with (cutout cut adj out cut-out groove) and stack and (cutout cut adj out cut-out groove) with guid\$4	US-PGPUB; USPAT	OR	ON	2008/10/29 11:21

S171	10	("0324717" "1678281" "2321570" "3549047").PN. OR ("4023705").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/29 11:26
S172	179519	((("206") or ("220") or ("221")).CLAS.	US-PGPUB; USPAT	OR	OFF	2008/10/29 11:36
S173	134	S172 and (dispens\$4 cartridge magazine) and wall with (cutout cut adj out cut-out groove) and stack and (cutout cut adj out cut-out groove) with guid\$4	US-PGPUB; USPAT	OR	ON	2008/10/29 11:36
S174	24	S172 and (dispens\$4 cartridge magazine) and wall with (cutout cut adj out cut-out groove) and stack and (cutout cut adj out cut-out groove) with guid\$4 and (hold \$4 grab\$4) with edge	US-PGPUB; USPAT	OR	ON	2008/10/29 11:38
S175	27	S172 and (dispens\$4 cartridge magazine hopper) and wall with (cutout cut adj out cut-out groove) and stack and (cutout cut adj out cut-out groove) with guid\$4 and (hold\$4 grab\$4) with edge	US-PGPUB; USPAT	OR	ON	2008/10/29 11:39
S176	2	S172 and (dispens\$4 cartridge magazine hopper) and wall with (cutout cut adj out cut-out groove) and stack and (cutout cut adj out cut-out groove) with guid\$4 and (hold\$4 grab\$4) near2 edge	US-PGPUB; USPAT	OR	ON	2008/10/29 11:44
S177	5	stack\$3 and (test adj strip biosensor biochip) with edge near2 (grab\$4 hold \$4)	US-PGPUB; USPAT	OR	ON	2008/10/29 11:45

S178	0	(test adj strip biosensor biochip) with edge near2 (grab\$4 hold\$4) same contaminat\$4	US-PGPUB; USPAT	OR	ON	2008/10/29 11:46
S179	3	(test adj strip biosensor biochip) and edge near2 (grab \$4 hold\$4) same contaminat\$4	US-PGPUB; USPAT	OR	ON	2008/10/29 11:46
S180	0	(test adj strip biosensor biochip) and edge near2 (grab \$4 hold\$4) with finger same contaminat\$4	US-PGPUB; USPAT	OR	ON	2008/10/29 11:47
S181	6	edge near2 (grab\$4 hold\$4) with finger same contaminat\$4	US-PGPUB; USPAT	OR	ON	2008/10/29 11:47
S182	7	edge near2 (grab\$4 hold\$4) with finger same (smudge contaminat\$4 fingerprint oil)	US-PGPUB; USPAT	OR	ON	2008/10/29 11:48
S183	4	edge near2 (grab\$4 hold\$4) with finger same (smudge contaminat\$4 fingerprint oil) and stack	US-PGPUB; USPAT	OR	ON	2008/10/29 11:48
S184	56	edge with finger same (smudge contaminat\$4 fingerprint oil) and stack	US-PGPUB; USPAT	OR	ON	2008/10/29 11:49
S185	22	edge with finger same (smudge contaminat\$4 fingerprint oil) and stack and (magazine dispens\$4 hopper cartridge)	US-PGPUB; USPAT	OR	ON	2008/10/29 11:50
S186	50	edge with finger with load\$4 with (magazine dispens\$4 hopper cartridge)	US-PGPUB; USPAT	OR	ON	2008/10/29 11:53

S187	228	(dispens\$4 cartridge magazine).ti. and (side wall) with (cutout cut adj out cut-out groove) with three	US-PGPUB; USPAT	OR	ON	2008/10/29 13:32
S188	90	(dispens\$4 cartridge magazine).ti. and (cutout cut adj out cut-out groove) with three near2 (side wall)	US-PGPUB; USPAT	OR	ON	2008/10/29 13:33
S189	129	(seto takiue tanaka suzuki).in. and element with cartridge and edge	US-PGPUB; USPAT	OR	ON	2008/10/29 13:58
S190	29	(seto takiue tanaka suzuki).in. and element with cartridge and edge and (cut-out cutout cut adj out)	US-PGPUB; USPAT	OR	ON	2008/10/29 13:58
S191	77	(dispens\$4 cartridge magazine).ti. and (cutout cut adj out cut-out groove) with three adj (side wall)	US-PGPUB; USPAT	OR	ON	2008/10/29 14:11
S192	78	(dispens\$4 cartridge magazine hopper).ti. and (cutout cut adj out cut-out groove) with three adj (side wall)	US-PGPUB; USPAT	OR	ON	2008/10/29 14:16
S193	1	(dispens\$4 cartridge magazine hopper).ti. and (cutout cut adj out cut-out groove) with three adj (side wall) not S191	US-PGPUB; USPAT	OR	ON	2008/10/29 14:16
S194	22	("3171347").URFN.	USPAT	OR	OFF	2008/10/29 14:28

S195	28	("2639037" "2818180" "2850197" "3171347" "3357344" "3491681" "3591012" "3739714" "4154159" "4993563" "5009153" "5150646" "5181460" "5201864" "5272966" "5388506" "D159165" "D162226" "D230802").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/29 14:37
S196	31	("2639037" "2818180" "2850197" "3171347" "3357344" "3491681" "3591012" "3739714" "4154159" "4993563" "5009153" "5150646" "5181460" "5201864" "5272966" "5388506" "D159165" "D162226" "D230802").PN. OR ("5586493").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/29 14:37
S197	23	("2599290" "2637268" "3038403" "3171347" "4934262" "5072576" "D230802").PN. OR ("5388506").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/29 14:38

S198	27	("2364518" "2818180" "3038403" "3171347" "3491681" "3850092" "4061084" "4926748" "4964518" "5005709" "5072576" "D170309" "D230802" "D247207" "D249617" "D271438" "D314097").FN. OR ("D333051").URFN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/29 15:04
S199	20	("2818180" "3171347" "3491681" "4926748" "5005709" "5072576" "D230802" "D247207" "D249617" "D271438" "D314097").FN. OR ("D330130").URFN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/29 15:06
S200	13	("2965016" "3171347" "3897724" "D230802" "D247207" "D249617").FN. OR ("D267918").URFN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/29 15:07
S201	6	(dispens\$4 cartridge magazine hopper) same (cutout cut adj out cut-out groove) with (guid\$4 finger hand arm) with load \$4 with stack	US-PGPUB; USPAT	OR	ON	2008/10/29 15:22
S202	0	(test adj strip biosensor biochip) and edge near2 (grab \$4 hold\$4) with finger same contaminat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 15:26

S203	155	(test adj strip biosensor biochip) and edge near2 (grab\$4 hold\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 15:26
S204	0	(test adj strip biosensor biochip) and adjacent adj edge near2 (grab\$4 hold\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 15:27
S205	48	(test adj strip biosensor biochip) same edge near2 (grab\$4 hold\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 15:30
S206	2	(test adj strip biosensor biochip sensitive) same edge near2 (grab\$4 hold\$4) with (contaminat\$4 fingerprint smudge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 12:55
S207	46	edge near2 (grab\$4 hold\$4) with (contaminat\$4 fingerprint smudge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 12:58
S208	0	(dispens\$4 cartridge magazine).ti. and (cutout cut adj out cut-out groove) near1 at adj least	US-PGPUB; USPAT	OR	ON	2008/10/30 13:06
S209	0	(dispens\$4 cartridge magazine).ti. and (cutout cut adj out cut-out groove) near2 at adj least	US-PGPUB; USPAT	OR	ON	2008/10/30 13:06
S210	1822	(dispens\$4 cartridge magazine).ti. and (cutout cut adj out cut-out groove) and at adj least	US-PGPUB; USPAT	OR	ON	2008/10/30 13:06
S211	89	(dispens\$4 cartridge magazine).ti. and (cutout cut adj out cut-out groove) with at adj least	US-PGPUB; USPAT	OR	ON	2008/10/30 13:06

S212	0	(dispens\$4 cartridge magazine).ti. and (cutout cut adj out cut-out groove) near3 at adj least	US-PGPUB; USPAT	OR	ON	2008/10/30 13:07
S213	0	(dispens\$4 cartridge magazine).ti. and (cutout cut adj out cut-out groove) near4 at adj least	US-PGPUB; USPAT	OR	ON	2008/10/30 13:07
S214	0	(dispens\$4 cartridge magazine).ti. and (cutout cut adj out cut-out groove) near5 at adj least	US-PGPUB; USPAT	OR	ON	2008/10/30 13:07
S215	14	(US-20020000013-\$ or US-20040208785-\$).did. or (US-5536472-\$ or US-5599505-\$ or US-5458350-\$ or US-5586493-\$ or US-3171347-\$ or US-4491242-\$ or US-4142863-\$ or US-6832698-\$ or US-4151931-\$ or US-6663100-\$ or US-4023705-\$ or US-5127207-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/30 13:08
S216	0	S215 and (cutout cut adj out cut-out groove) near5 at adj least	US-PGPUB; USPAT	OR	ON	2008/10/30 13:08
S217	0	S215 and (cutout cut adj out cut-out groove) with at adj least	US-PGPUB; USPAT	OR	ON	2008/10/30 13:08
S218	2	S215 and (cutout cut adj out cut-out groove) with least	US-PGPUB; USPAT	OR	ON	2008/10/30 13:08
S219	95	(dispens\$4 cartridge magazine).ti. and (cutout cut adj out cut-out groove) near2 least with (guid \$4 path)	US-PGPUB; USPAT	OR	ON	2008/10/30 13:09

S220	461	(dispens\$4 cartridge hopper) same stack and (insert\$4 load \$4) with rotat\$4 same (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/11/05 11:04
S221	298	(dispens\$4 cartridge hopper) same stack and (insert\$4 load \$4) with rotat\$4 with (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/11/05 11:05
S222	22	(dispens\$4 cartridge hopper) same stack same (insert\$4 load \$4) with rotat\$4 with (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/11/05 11:05
S223	7	(dispens\$4 cartridge hopper) same stack same (insert\$4 load \$4) near2 rotat\$4 with (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/11/05 11:05
S224	8	(dispens\$4 cartridge hopper) same stack same (insert\$4 load \$4) near2 (reposition \$4 rotat\$4 turn\$4) with (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/11/05 11:07
S225	1	(dispens\$4 cartridge hopper) same stack same (insert\$4 load \$4) near2 (reposition \$4 rotat\$4 turn\$4) with (groove cut adj out cutout cut-out slot) not S223	US-PGPUB; USPAT	OR	ON	2008/11/05 11:07
S226	401	(dispens\$4 cartridge hopper) same stack same (wall side) near3 (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/11/05 11:11

S227	1	(dispens\$4 cartridge hopper) same stack same (insert\$4 load \$4) near2 (re-orient \$4 reorient\$4 reposition\$4 rotat\$4 turn\$4) with (groove cut adj out cutout cut-out slot) not S223	US-PGPUB; USPAT	OR	ON	2008/11/05 11:14
S228	73	(dispens\$4 cartridge hopper) same stack same (insert\$4 load \$4) same (re-orient \$4 reorient\$4 reposition\$4 rotat\$4 turn\$4) with (groove cut adj out cutout cut-out slot) not S223	US-PGPUB; USPAT	OR	ON	2008/11/05 11:14
S229	17	(dispens\$4 cartridge hopper) same stack same (insert\$4 load \$4) same (re-orient \$4 reorient\$4 reposition\$4 rotat\$4 turn\$4) near3 (groove cut adj out cutout cut-out slot) not S223	US-PGPUB; USPAT	OR	ON	2008/11/05 11:14
S230	163	(221/309).CQLS.	US-PGPUB; USPAT	OR	OFF	2008/11/05 11:20
S231	398	(dispens\$4 cartridge hopper) same stack same (wall side) near3 (groove cut adj out cutout cut-out slot) not S230	US-PGPUB; USPAT	OR	ON	2008/11/05 11:26
S232	5329	(dispens\$4 cartridge hopper).ti. and stack	US-PGPUB; USPAT	OR	ON	2008/11/05 11:28
S233	133	(hopper).ti. and stack	US-PGPUB; USPAT	OR	ON	2008/11/05 11:28
S234	2006	(insert\$4 load\$4) near2 (re-orient\$4 reorient\$4 reposition \$4 rotat\$4 turn\$4) with (cartridge magazine hopper)	US-PGPUB; USPAT	OR	ON	2008/11/05 11:31

S235	42	(insert\$4 load\$4) near2 (re-orient\$4 reorient\$4 reposition \$4 rotat\$4 turn\$4) with (cartridge magazine hopper) same stack	US-PGPUB; USPAT	OR	ON	2008/11/05 11:32
S236	3690	(dispens\$4 cartridge hopper).ti. and stack and (groove cut adj out cutout cut-out slot) not S230	US-PGPUB; USPAT	OR	ON	2008/11/05 11:37
S237	3701	(dispens\$4 cartridge hopper).ti. and stack and (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/11/05 11:37
S238	2038	(dispens\$4 cartridge hopper).ti. and stack and (groove cut adj out cutout cut-out slot) with (wall side)	US-PGPUB; USPAT	OR	ON	2008/11/05 11:37
S239	161	(dispens\$4 cartridge hopper).ti. and stack with article and (groove cut adj out cutout cut-out slot) with (wall side)	US-PGPUB; USPAT	OR	ON	2008/11/05 11:39
S240	34	("1801165" "3115991" "3533744" "3767083" "3905772").PN. OR ("4187077").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/05 11:41
S241	299	biosensor and hermetic\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/05 11:42
S242	97	biosensor and hermetic\$3 and spring	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/05 11:42
S243	33	biosensor and hermetic\$3 and spring and stack	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/05 11:43
S244	981174	biosensor and hermetic\$4 and spring pull\$4	US-PGPUB; USPAT	OR	ON	2008/11/05 11:52
S245	134	biosensor and hermetic\$4 and spring and pull\$4	US-PGPUB; USPAT	OR	ON	2008/11/05 11:52

S246	112	biosensor and hermetic\$4 and spring and pull\$4	US-PGPUB	OR	ON	2008/11/05 11:52
S247	22	biosensor and hermetic\$4 and spring and pull\$4	USPAT	OR	ON	2008/11/05 11:52
S248	66	biosensor and hermetic\$4 adj seal	USPAT	OR	ON	2008/11/05 11:53
S249	182	biosensor and hermetic\$4 adj seal	US-PGPUB; USPAT	OR	ON	2008/11/05 11:53
S250	118	biosensor and hermetic\$4 adj seal and housing	US-PGPUB; USPAT	OR	ON	2008/11/05 11:53
S251	0	biosensor with hermetic\$4.clm. and housing	US-PGPUB; USPAT	OR	ON	2008/11/05 11:53
S252	30	biosensor with stack and spring	US-PGPUB; USPAT	OR	ON	2008/11/05 11:53
S253	9	(insert\$4 load\$4) near2 (article stack) near3 (re-orient\$4 reorient\$4 reposition \$4 rotat\$4 turn\$4) with (cartridge magazine hopper)	US-PGPUB; USPAT	OR	ON	2008/11/05 12:08
S255	641	(cartridge magazine hopper).ti. and (article stack) and (re-orient\$4 reorient \$4 reposition\$4 rotat \$4 turn\$4) with (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/11/05 12:11
S256	233	(cartridge magazine hopper).ti. and (article stack) and (re-orient\$4 reorient \$4 reposition\$4 rotat \$4 turn\$4) near4 (groove cut adj out cutout cut-out slot)	US-PGPUB; USPAT	OR	ON	2008/11/05 12:25
S257	1	("6506609").PN.	US-PGPUB; USPAT	OR	OFF	2008/11/05 13:58
S258	49	(leonard).in. and retard\$4 with flow	US-PGPUB; USPAT	OR	ON	2008/11/05 14:06
S259	10	(leonard).in. and retard\$4 with flow	US-PGPUB	OR	ON	2008/11/05 14:06

11/6/2008 4:07:52 PM

C:\Documents and Settings\phyun\My Documents\EAST\Workspaces\10,756,752.wsp

